

NAILING SYSTEM

Ø 9mm (130°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.19.09.250	TNS.19.09.250

Ø 9mm (135°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.20.09.250	TNS.20.09.250

Ø 10mm (130°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.19.10.250	TNS.19.10.250

Ø 10mm (135°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.19.09.250	TNS.19.09.250

Ø 11mm (130°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.20.09.250	TNS.20.09.250

Ø 11mm (135°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.19.10.250	TNS.19.10.250

Ø 12mm (130°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.19.09.250	TNS.19.09.250

Ø 12mm (135°)

LENGTH	STAINLESS STEEL	TITANIUM
250mm	NS.20.09.250	TNS.20.09.250



LONG

Ø 9mm (Left)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.23.340	NS.31.340	TNS.23.340	TNS.31.340
360mm	NS.23.360	NS.31.360	TNS.23.360	TNS.31.360
380mm	NS.23.380	NS.31.380	TNS.23.380	TNS.31.380
400mm	NS.23.400	NS.31.400	TNS.23.400	TNS.31.400
420mm	NS.23.420	NS.31.420	TNS.23.420	TNS.31.420
440mm	NS.23.440	NS.31.440	TNS.23.440	TNS.31.440

Ø 9mm (Right)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.27.340	NS.35.340	TNS.27.340	TNS.35.340
360mm	NS.27.360	NS.35.360	TNS.27.360	TNS.35.360
380mm	NS.27.380	NS.35.380	TNS.27.380	TNS.35.380
400mm	NS.27.400	NS.35.400	TNS.27.400	TNS.35.400
420mm	NS.27.420	NS.35.420	TNS.27.420	TNS.35.420
440mm	NS.27.440	NS.35.440	TNS.27.440	TNS.35.440

Ø 10mm (Left)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.24.340	NS.32.340	TNS.24.340	TNS.32.340
360mm	NS.24.360	NS.32.360	TNS.24.360	TNS.32.360
380mm	NS.24.380	NS.32.380	TNS.24.380	TNS.32.380
400mm	NS.24.400	NS.32.400	TNS.24.400	TNS.32.400
420mm	NS.24.420	NS.32.420	TNS.24.420	TNS.32.420
440mm	NS.24.440	NS.32.440	TNS.24.440	TNS.32.440

Ø 10mm (Right)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.28.340	NS.36.340	TNS.28.340	TNS.36.340
360mm	NS.28.360	NS.36.360	TNS.28.360	TNS.36.360
380mm	NS.28.380	NS.36.380	TNS.28.380	TNS.36.380
400mm	NS.28.400	NS.36.400	TNS.28.400	TNS.36.400
420mm	NS.28.420	NS.36.420	TNS.28.420	TNS.36.420
440mm	NS.28.440	NS.36.440	TNS.28.440	TNS.36.440

Ø 11mm (Left)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.25.340	NS.33.340	TNS.25.340	TNS.33.340
360mm	NS.25.360	NS.33.360	TNS.25.360	TNS.33.360
380mm	NS.25.380	NS.33.380	TNS.25.380	TNS.33.380
400mm	NS.25.400	NS.33.400	TNS.25.400	TNS.33.400
420mm	NS.25.420	NS.33.420	TNS.25.420	TNS.33.420
440mm	NS.25.440	NS.33.440	TNS.25.440	TNS.33.440

Ø 11mm (Right)


LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.29.340	NS.37.340	TNS.29.340	TNS.37.340
360mm	NS.29.360	NS.37.360	TNS.29.360	TNS.37.360
380mm	NS.29.380	NS.37.380	TNS.29.380	TNS.37.380
400mm	NS.29.400	NS.37.400	TNS.29.400	TNS.37.400
420mm	NS.29.420	NS.37.420	TNS.29.420	TNS.37.420
440mm	NS.29.440	NS.37.440	TNS.29.440	TNS.37.440

Ø 12mm (Left)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.26.340	NS.34.340	TNS.26.340	TNS.34.340
360mm	NS.26.360	NS.34.360	TNS.26.360	TNS.34.360
380mm	NS.26.380	NS.34.380	TNS.26.380	TNS.34.380
400mm	NS.26.400	NS.34.400	TNS.26.400	TNS.34.400
420mm	NS.26.420	NS.34.420	TNS.26.420	TNS.34.420
440mm	NS.26.440	NS.34.440	TNS.26.440	TNS.34.440

Ø 12mm (Right)

LENGTH	STAINLESS STEEL		TITANIUM	
	130°	135°	130°	135°
-				
340mm	NS.30.340	NS.38.340	TNS.30.340	TNS.38.340
360mm	NS.30.360	NS.38.360	TNS.30.360	TNS.38.360
380mm	NS.30.380	NS.38.380	TNS.30.380	TNS.38.380
400mm	NS.30.400	NS.38.400	TNS.30.400	TNS.38.400
420mm	NS.30.420	NS.38.420	TNS.30.420	TNS.38.420
440mm	NS.30.440	NS.38.440	TNS.30.440	TNS.38.440



NAILING SYSTEM

CAT. No. :NS.21 (130°) / NS.22 (135°)

CAT. No. :TNS.21 (130°) / TNS.22 (135°) | Trochanteric Fixation Nail

Ø 9mm

LENGTH	STAINLESS STEEL		TITANIUM	
-	130°	135°	130°	135°
180mm	NS.21.9.180	NS.22.9.180	TNS.21.9.180	TNS.22.9.180

Ø 11mm

LENGTH	STAINLESS STEEL		TITANIUM	
-	130°	135°	130°	135°
180mm	NS.21.11.180	NS.22.11.180	TNS.21.11.180	TNS.22.11.180

Ø 10mm

LENGTH	STAINLESS STEEL		TITANIUM	
-	130°	135°	130°	135°
180mm	NS.21.10.180	NS.22.10.180	TNS.21.10.180	TNS.22.10.180

Ø 12mm

LENGTH	STAINLESS STEEL		TITANIUM	
-	130°	135°	130°	135°
180mm	NS.21.12.180	NS.22.12.180	TNS.21.12.180	TNS.22.12.180



CAT. No. :NS.39 / NS.40

CAT. No. :TNS.39 / TNS.40 | Interlocking Humerus Nail

Ø 6.5mm


LENGTH	STAINLESS STEEL	TITANIUM
205mm	NS.39.205	TNS.39.205
220mm	NS.39.220	TNS.39.220
230mm	NS.39.230	TNS.39.230
240mm	NS.39.240	TNS.39.240
250mm	NS.39.250	TNS.39.250
260mm	NS.39.260	TNS.39.260
270mm	NS.39.270	TNS.39.270
280mm	NS.39.280	TNS.39.280
290mm	NS.39.290	TNS.39.290
300mm	NS.39.300	TNS.39.300
310mm	NS.39.310	TNS.39.310

Ø 7.5mm

LENGTH	STAINLESS STEEL	TITANIUM
205mm	NS.40.205	TNS.40.205
220mm	NS.40.220	TNS.40.220
230mm	NS.40.230	TNS.40.230
240mm	NS.40.240	TNS.40.240
250mm	NS.40.250	TNS.40.250
260mm	NS.40.260	TNS.40.260
270mm	NS.40.270	TNS.40.270
280mm	NS.40.280	TNS.40.280
290mm	NS.40.290	TNS.40.290
300mm	NS.40.300	TNS.40.300
310mm	NS.40.310	TNS.40.310



NAILING SYSTEM



**CAT. No. :NS.50 / NS.51
NS.52/NS.53**

**CAT. No. :TNS.50 / TNS.51
TNS.52 / TNS.53**
Syrus Femur Interlocking
Nail (Left & Right)

Ø 9mm

LENGTH	STAINLESS STEEL		TITANIUM	
	Left	Right	Left	Right
340mm	NS.50L.340	NS.50R.340	TNS.50L.340	TNS.50R.340
360mm	NS.50L.360	NS.50R.360	TNS.50L.360	TNS.50R.360
380mm	NS.50L.380	NS.50R.380	TNS.50L.380	TNS.50R.380
400mm	NS.50L.400	NS.50R.400	TNS.50L.400	TNS.50R.400
420mm	NS.50L.420	NS.50R.420	TNS.50L.420	TNS.50R.420
440mm	NS.50L.440	NS.50R.440	TNS.50L.440	TNS.50R.440

Ø 10mm

LENGTH	STAINLESS STEEL		TITANIUM	
	Left	Right	Left	Right
340mm	NS.51L.340	NS.51R.340	TNS.51L.340	TNS.51R.340
360mm	NS.51L.360	NS.51R.360	TNS.51L.360	TNS.51R.360
380mm	NS.51L.380	NS.51R.380	TNS.51L.380	TNS.51R.380
400mm	NS.51L.400	NS.51R.400	TNS.51L.400	TNS.51R.400
420mm	NS.51L.420	NS.51R.420	TNS.51L.420	TNS.51R.420
440mm	NS.51L.440	NS.51R.440	TNS.51L.440	TNS.51R.440

Ø 11mm

LENGTH	STAINLESS STEEL		TITANIUM	
	Left	Right	Left	Right
340mm	NS.52L.340	NS.52R.340	TNS.52L.340	TNS.52R.340
360mm	NS.52L.360	NS.52R.360	TNS.52L.360	TNS.52R.360
380mm	NS.52L.380	NS.52R.380	TNS.52L.380	TNS.52R.380
400mm	NS.52L.400	NS.52R.400	TNS.52L.400	TNS.52R.400
420mm	NS.52L.420	NS.52R.420	TNS.52L.420	TNS.52R.420
440mm	NS.52L.440	NS.52R.440	TNS.52L.440	TNS.52R.440

Ø 12mm

LENGTH	STAINLESS STEEL		TITANIUM	
	Left	Right	Left	Right
340mm	NS.53L.340	NS.53R.340	TNS.53L.340	TNS.53R.340
360mm	NS.53L.360	NS.53R.360	TNS.53L.360	TNS.53R.360
380mm	NS.53L.380	NS.53R.380	TNS.53L.380	TNS.53R.380
400mm	NS.53L.400	NS.53R.400	TNS.53L.400	TNS.53R.400
420mm	NS.53L.420	NS.53R.420	TNS.53L.420	TNS.53R.420
440mm	NS.53L.440	NS.53R.440	TNS.53L.440	TNS.53R.440

CAT. No. :NS.89
Elastic Nail (Length : 440mm)
Dia. 2, 2.5, 3.0, 3.5, 4.0, 4.5mm

LENGTH	STAINLESS STEEL
440mm	NS.89.440

NAILING SYSTEM

CAT. No. :NS.160 / NS.161 / NS.162 / NS.163

CAT. No. :TNS.160 / TNS.161 / TNS.162 / TNS.163

Supracondylar Nail

Ø 9mm

LENGTH	STAINLESS STEEL	TITANIUM
150mm	NS.160.150	TNS.160.150
200mm	NS.160.200	TNS.160.200
250mm	NS.160.250	TNS.160.250
300mm	NS.160.300	TNS.160.300
350mm	NS.160.350	TNS.160.350

Ø 10mm

LENGTH	STAINLESS STEEL	TITANIUM
150mm	NS.161.150	TNS.161.150
200mm	NS.161.200	TNS.161.200
250mm	NS.161.250	TNS.161.250
300mm	NS.161.300	TNS.161.300
350mm	NS.161.350	TNS.161.350

Ø 11mm

LENGTH	STAINLESS STEEL	TITANIUM
150mm	NS.162.150	TNS.162.150
200mm	NS.162.200	TNS.162.200
250mm	NS.162.250	TNS.162.250
300mm	NS.162.300	TNS.162.300
350mm	NS.162.350	TNS.162.350

Ø 12mm

LENGTH	STAINLESS STEEL	TITANIUM
150mm	NS.163.150	TNS.163.150
200mm	NS.163.200	TNS.163.200
250mm	NS.163.250	TNS.163.250
300mm	NS.163.300	TNS.163.300
350mm	NS.163.350	TNS.163.350



NAILING SYSTEM

CAT. No. : NS.64 / NS.65 / NS.66 / NS.67

CAT. No. : TNS.64 / TNS.65 / TNS.66 / TNS.67 | Ender's Nail



Ø 3.0mm

LENGTH	STAINLESS STEEL	TITANIUM
200mm	NS.64.200	TNS.64.200
210mm	NS.64.210	TNS.64.210
220mm	NS.64.220	TNS.64.220
230mm	NS.64.230	TNS.64.230
240mm	NS.64.240	TNS.64.240
250mm	NS.64.250	TNS.64.250
260mm	NS.64.260	TNS.64.260
270mm	NS.64.270	TNS.64.270
280mm	NS.64.280	TNS.64.280
290mm	NS.64.290	TNS.64.290
300mm	NS.64.300	TNS.64.300

Ø 3.5mm

LENGTH	STAINLESS STEEL	TITANIUM
200mm	NS.65.200	TNS.65.200
210mm	NS.65.210	TNS.65.210
220mm	NS.65.220	TNS.65.220
230mm	NS.65.230	TNS.65.230
240mm	NS.65.240	TNS.65.240
250mm	NS.65.250	TNS.65.250
260mm	NS.65.260	TNS.65.260
270mm	NS.65.270	TNS.65.270
280mm	NS.65.280	TNS.65.280
290mm	NS.65.290	TNS.65.290
300mm	NS.65.300	TNS.65.300

Ø 4.0mm

LENGTH	STAINLESS STEEL	TITANIUM
300mm	NS.66.300	TNS.66.300
310mm	NS.66.310	TNS.66.310
320mm	NS.66.320	TNS.66.320
330mm	NS.66.330	TNS.66.330
340mm	NS.66.340	TNS.66.340
350mm	NS.66.350	TNS.66.350
360mm	NS.66.360	TNS.66.360
370mm	NS.66.370	TNS.66.370
380mm	NS.66.380	TNS.66.380
390mm	NS.66.390	TNS.66.390
400mm	NS.66.400	TNS.66.400
410mm	NS.66.410	TNS.66.410
420mm	NS.66.420	TNS.66.420
430mm	NS.66.430	TNS.66.430
440mm	NS.66.440	TNS.66.440

Ø 4.5mm


LENGTH	STAINLESS STEEL	TITANIUM
300mm	NS.67.300	TNS.67.300
310mm	NS.67.310	TNS.67.310
320mm	NS.67.320	TNS.67.320
330mm	NS.67.330	TNS.67.330
340mm	NS.67.340	TNS.67.340
350mm	NS.67.350	TNS.67.350
360mm	NS.67.360	TNS.67.360
370mm	NS.67.370	TNS.67.370
380mm	NS.67.380	TNS.67.380
390mm	NS.67.390	TNS.67.390
400mm	NS.67.400	TNS.67.400
410mm	NS.67.410	TNS.67.410
420mm	NS.67.420	TNS.67.420
430mm	NS.67.430	TNS.67.430
440mm	NS.67.440	TNS.67.440

SCREW FOR NAILING SYSTEM

LENGTH	STAINLESS STEEL	TITANIUM
20mm	BS.26.20	TBS.26.20
22mm	BS.26.22	TBS.26.22
24mm	BS.26.24	TBS.26.24
26mm	BS.26.26	TBS.26.26
28mm	BS.26.28	TBS.26.28
30mm	BS.26.30	TBS.26.30
32mm	BS.26.32	TBS.26.32
34mm	BS.26.34	TBS.26.34
36mm	BS.26.36	TBS.26.36

CAT. No. : BS.26 / TBS.26 Interlocking Screws 3.9mm
(Stainless Steel & Titanium) (Self Taping)

LENGTH	STAINLESS STEEL	TITANIUM
20mm	BS.26.38	TBS.26.38
22mm	BS.26.40	TBS.26.40
24mm	BS.26.42	TBS.26.42
26mm	BS.26.44	TBS.26.44
28mm	BS.26.46	TBS.26.46
30mm	BS.26.48	TBS.26.48
32mm	BS.26.50	TBS.26.50



CAT. No. : BS.27 / TBS.27

Interlocking Screws 4.9mm (Stainless Steel & Titanium)(Self Taping)

LENGTH	STAINLESS STEEL	TITANIUM	LENGTH	STAINLESS STEEL	TITANIUM
20mm	BS.27.20	TBS.27.20	46mm	BS.27.46	TBS.27.46
22mm	BS.27.22	TBS.27.22	48mm	BS.27.48	TBS.27.48
24mm	BS.27.24	TBS.27.24	50mm	BS.27.50	TBS.27.50
26mm	BS.27.26	TBS.27.26	52mm	BS.27.52	TBS.27.52
28mm	BS.27.28	TBS.27.28	54mm	BS.27.54	TBS.27.54
30mm	BS.27.30	TBS.27.30	56mm	BS.27.56	TBS.27.56
32mm	BS.27.32	TBS.27.32	58mm	BS.27.58	TBS.27.58
34mm	BS.27.34	TBS.27.34	60mm	BS.27.60	TBS.27.60
36mm	BS.27.36	TBS.27.36	62mm	BS.27.62	TBS.27.62
38mm	BS.27.38	TBS.27.38	64mm	BS.27.64	TBS.27.64
40mm	BS.27.40	TBS.27.40	66mm	BS.27.66	TBS.27.66
42mm	BS.27.42	TBS.27.42	68mm	BS.27.68	TBS.27.68
44mm	BS.27.44	TBS.27.44	70mm	BS.27.70	TBS.27.70



CAT. No. : BS.25 / TBS.25 Interlocking Screws 3.4mm (Stainless Steel & Titanium) (Self Taping)

LENGTH	STAINLESS STEEL	TITANIUM	LENGTH	STAINLESS STEEL	TITANIUM
20mm	BS.25.20	TBS.25.20	36mm	BS.25.36	TBS.25.36
22mm	BS.25.22	TBS.25.22	38mm	BS.25.38	TBS.25.38
24mm	BS.25.24	TBS.25.24	40mm	BS.25.40	TBS.25.40
26mm	BS.25.26	TBS.25.26	42mm	BS.25.42	TBS.25.42
28mm	BS.25.28	TBS.25.28	44mm	BS.25.44	TBS.25.44
30mm	BS.25.30	TBS.25.30	46mm	BS.25.46	TBS.25.46
32mm	BS.25.32	TBS.25.32	48mm	BS.25.48	TBS.25.48
34mm	BS.25.34	TBS.25.34	50mm	BS.25.50	TBS.25.50



CAT. No. : BS.29 / TBS.29 P.F.N. Leg Screws 8.0mm (Stainless Steel & Titanium)

LENGTH	STAINLESS STEEL	TITANIUM	LENGTH	STAINLESS STEEL	TITANIUM
50mm	BS.29.50	TBS.29.50	85mm	BS.29.85	TBS.29.85
55mm	BS.29.55	TBS.29.55	90mm	BS.29.90	TBS.29.90
60mm	BS.29.60	TBS.29.60	95mm	BS.29.95	TBS.29.95
65mm	BS.29.65	TBS.29.65	100mm	BS.29.100	TBS.29.100
70mm	BS.29.70	TBS.29.70	105mm	BS.29.105	TBS.29.105
75mm	BS.29.75	TBS.29.75	110mm	BS.29.110	TBS.29.110
80mm	BS.29.80	TBS.29.80			



CAT. No. : BS.28 / TBS.28 P.F.N. Leg Screws 6.4mm (Stainless Steel & Titanium)

LENGTH	STAINLESS STEEL	TITANIUM	LENGTH	STAINLESS STEEL	TITANIUM
50mm	BS.28.50	TBS.29.50	85mm	BS.29.85	BS.29.85
55mm	BS.28.55	TBS.29.55	90mm	BS.29.90	BS.29.90
60mm	BS.28.60	TBS.29.60	95mm	BS.29.95	BS.29.95
65mm	BS.28.65	TBS.29.65	100mm	BS.29.100	BS.29.100
70mm	BS.28.70	TBS.29.70	105mm	BS.29.105	BS.29.105
75mm	BS.28.75	TBS.29.75	110mm	BS.29.110	BS.29.110
80mm	BS.28.80	TBS.29.80			



CAT. No. : NS.192 / TNS.192 End Cap for Interlocking Nail (Stainless Steel & Titanium) (Self Taping)

LENGTH	STAINLESS STEEL	TITANIUM	LENGTH	STAINLESS STEEL	TITANIUM
2mm	NS.192.02	TNS.192.02	10mm	NS.192.10	TNS.192.10
5mm	NS.192.05	TNS.192.05	15mm	NS.192.15	TNS.192.15



INTRAMEDULLARY NAIL SYSTEM

CAT. No. : NS.82 / NS.83 / NS.84 | Rush Nails for Radius and ULNA




Dia. 2mm		Dia. 2.5mm		Dia. 3mm	
LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL
24cm	NS.82.24	24cm	NS.83.24	24cm	NS.84.24
25cm	NS.82.25	25cm	NS.83.25	25cm	NS.84.25
26cm	NS.82.26	26cm	NS.83.26	26cm	NS.84.26
27cm	NS.82.27	27cm	NS.83.27	27cm	NS.84.27
28cm	NS.82.28	28cm	NS.83.28	28cm	NS.84.28
29cm	NS.82.29	29cm	NS.83.29	29cm	NS.84.29
30cm	NS.82.30	30cm	NS.83.30	30cm	NS.84.30
31cm	NS.82.31	31cm	NS.83.31	31cm	NS.84.31
32cm	NS.82.32	32cm	NS.83.32	32cm	NS.84.32
33cm	NS.82.33	33cm	NS.83.33	33cm	NS.84.33
34cm	NS.82.34	34cm	NS.83.34	34cm	NS.84.34
35cm	NS.82.35	35cm	NS.83.35	35cm	NS.84.35
36cm	NS.82.36	36cm	NS.83.36	36cm	NS.84.36




CAT. No. : NS.75 / NS.76 / NS.77 / NS.78 | Square Nails for Radius

Dia. 2mm		Dia. 2.5mm		Dia. 3mm		Dia. 3.5mm	
LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL
17cm	NS.75.17	17cm	NS.76.17	17cm	NS.77.17	17cm	NS.78.17
18cm	NS.75.18	18cm	NS.76.18	18cm	NS.77.18	18cm	NS.78.18
19cm	NS.75.19	19cm	NS.76.19	19cm	NS.77.19	19cm	NS.78.19
20cm	NS.75.20	20cm	NS.76.20	20cm	NS.77.20	20cm	NS.78.20
21cm	NS.75.21	21cm	NS.76.21	21cm	NS.77.21	21cm	NS.78.21
22cm	NS.75.22	22cm	NS.76.22	22cm	NS.77.22	22cm	NS.78.22
23cm	NS.75.23	23cm	NS.76.23	23cm	NS.77.23	23cm	NS.78.23
24cm	NS.75.24	24cm	NS.76.24	24cm	NS.77.24	24cm	NS.78.24
25cm	NS.75.25	25cm	NS.76.25	25cm	NS.77.25	25cm	NS.78.25
26cm	NS.75.26	26cm	NS.76.26	26cm	NS.77.26	26cm	NS.78.26
27cm	NS.75.27	27cm	NS.76.27	27cm	NS.77.27	27cm	NS.78.27
28cm	NS.75.28	28cm	NS.76.28	28cm	NS.77.28	28cm	NS.78.28
29cm	NS.75.29	29cm	NS.76.29	29cm	NS.77.29	29cm	NS.78.29
30cm	NS.75.30	30cm	NS.76.30	30cm	NS.77.30	30cm	NS.78.30



CAT. No. : NS.69 / NS.70 / NS.71 / NS.72 | Square Nails for ULNA



Dia. 2mm		Dia. 2.5mm		Dia. 3mm		Dia. 3.5mm	
LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL	LENGTH	STAINLESS STEEL
17cm	NS.69.17	17cm	NS.70.17	17cm	NS.71.17	17cm	NS.72.17
18cm	NS.69.18	18cm	NS.70.18	18cm	NS.71.18	18cm	NS.72.18
19cm	NS.69.19	19cm	NS.70.19	19cm	NS.71.19	19cm	NS.72.19
20cm	NS.69.20	20cm	NS.70.20	20cm	NS.71.20	20cm	NS.72.20
21cm	NS.69.21	21cm	NS.70.21	21cm	NS.71.21	21cm	NS.72.21
22cm	NS.69.22	22cm	NS.70.22	22cm	NS.71.22	22cm	NS.72.22
23cm	NS.69.23	23cm	NS.70.23	23cm	NS.71.23	23cm	NS.72.23
24cm	NS.69.24	24cm	NS.70.24	24cm	NS.71.24	24cm	NS.72.24
25cm	NS.69.25	25cm	NS.70.25	25cm	NS.71.25	25cm	NS.72.25
26cm	NS.69.26	26cm	NS.70.26	26cm	NS.71.26	26cm	NS.72.26
27cm	NS.69.27	27cm	NS.70.27	27cm	NS.71.27	27cm	NS.72.27
28cm	NS.69.28	28cm	NS.70.28	28cm	NS.71.28	28cm	NS.72.28
29cm	NS.69.29	29cm	NS.70.29	29cm	NS.71.29	29cm	NS.72.29
30cm	NS.69.30	30cm	NS.70.30	30cm	NS.71.30	30cm	NS.72.30

NAILING SYSTEM

CAT. No. :NS.08 / NS.09 / NS.10 / NS.11

CAT. No. :TNS.08 / TNS.09 / TNS.10 / TNS.11 | Universal Tibia Interlocking Nail

Ø 8mm

LENGTH	STAINLESS STEEL	TITANIUM
260mm	NS.08.260	TNS.08.260
280mm	NS.08.280	TNS.08.280
300mm	NS.08.300	TNS.08.300
320mm	NS.08.320	TNS.08.320
340mm	NS.08.340	TNS.08.340
360mm	NS.08.360	TNS.08.360
380mm	NS.08.380	TNS.08.380

Ø 9mm

LENGTH	STAINLESS STEEL	TITANIUM
260mm	NS.09.260	TNS.09.260
280mm	NS.09.280	TNS.09.280
300mm	NS.09.300	TNS.09.300
320mm	NS.09.320	TNS.09.320
340mm	NS.09.340	TNS.09.340
360mm	NS.09.360	TNS.09.360
380mm	NS.09.380	TNS.09.380

Ø 10mm

LENGTH	STAINLESS STEEL	TITANIUM
260mm	NS.10.260	TNS.10.260
280mm	NS.10.280	TNS.10.280
300mm	NS.10.300	TNS.10.300
320mm	NS.10.320	TNS.10.320
340mm	NS.10.340	TNS.10.340
360mm	NS.10.360	TNS.10.360
380mm	NS.10.380	TNS.10.380

Ø 11mm

LENGTH	STAINLESS STEEL	TITANIUM
260mm	NS.11.260	TNS.11.260
280mm	NS.11.280	TNS.11.280
300mm	NS.11.300	TNS.11.300
320mm	NS.11.320	TNS.11.320
340mm	NS.11.340	TNS.11.340
360mm	NS.11.360	TNS.11.360
380mm	NS.11.380	TNS.11.380



CAT. No. :NS.08 / NS.09 / NS.10 / NS.11

CAT. No. :TNS.08 / TNS.09 / TNS.10 / TNS.11 | Universal Femur Interlocking Nail

Ø 9mm

LENGTH	STAINLESS STEEL	TITANIUM
340mm	NS.10.340	NS.10.340
360mm	NS.10.360	NS.10.360
380mm	NS.10.380	NS.10.380
400mm	NS.10.400	NS.10.400
420mm	NS.10.420	NS.10.420
440mm	NS.10.440	NS.10.440

Ø 10mm

LENGTH	STAINLESS STEEL	TITANIUM
340mm	NS.11.340	TNS.11.340
360mm	NS.11.360	TNS.11.360
380mm	NS.11.380	TNS.11.380
400mm	NS.11.400	TNS.11.400
420mm	NS.11.420	TNS.11.420
440mm	NS.11.440	TNS.11.440

Ø 11mm

LENGTH	STAINLESS STEEL	TITANIUM
340mm	NS.12.340	TNS.12.340
360mm	NS.12.360	TNS.12.360
380mm	NS.12.380	TNS.12.380
400mm	NS.12.400	TNS.12.400
420mm	NS.12.420	TNS.12.420
440mm	NS.12.440	TNS.12.440

Ø 12mm

LENGTH	STAINLESS STEEL	TITANIUM
340mm	NS.13.340	TNS.13.340
360mm	NS.13.360	TNS.13.360
380mm	NS.13.380	TNS.13.380
400mm	NS.13.400	TNS.13.400
420mm	NS.13.420	TNS.13.420
440mm	NS.13.440	TNS.13.440

